

1. AVIOSUPERFICE SCALEA

Aerodromo name

2. AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates	N39-46,50 E015-49,00
2	Direction and distance from city	0,5NM SOUTH
3	Elevation/Reference temperature	33FT (10M)
4	Magnetic variation/Annual change	
5	Aerodrome administration authority	ENAC D.A. Lamezia Terme Tel +39.0968414322 - Fax +39. 0968414328
	Aerodrome operator	IDROSCALO TURISTICO Tel +39.0985.040320 / +39.348.5505727 (h24) Fax +39.02.39195451 Mail <a href="mailto:operations@aeroportoscalea.it">operations@aeroportoscalea.it</a> Web <a href="http://www.aeroportoscalea.it">www.aeroportoscalea.it</a>
	ATS Authority	NIL
6	Type of traffic permitted (VFR/IFR)	VFR
7	Remarks	1. AD open to domestic traffic. 2. AD open to Aerial Work Flight. 3. AD open to Public Transportation Flight. 4. AD open to School Flight. 5. AD open to Ultra Light traffic.

3. OPERATIONAL HOURS

1	Aerodrome Administration	MON-FRI 0800-1530 SAT-SUN 0800-1800
2	Customer And Immigration	NIL
3	Health and sanitation	NIL
4	AIS	See hours ARO LAMEZIA TERME or ARO NAPOLI for more informations
5	ARO	
6	METEO	
7	ATS	Local AFIS Available: MON-FRI 0800-1530 z SAT-SUN 0800-1800 z
8	Fuelling	MON-FRI 0800-1530 z SAT-SUN 0800-1800 z
9	Handling	IDROSCALO TURISTICO - TEL +39.348.5505727
10	Security	O/R
11	De-icing	NIL
12	Remarks	NIL

4. HANDLING SERVICE AND FACILITIES

1	Cargo-handling facilities	NIL
2	Fuel/oil types	JET A1 - AVGAS100LL - GREENGAS(O/R)
3	Fuelling capacity	NIL
4	De-icing facilities	NIL
5	Hangar space for visiting a/c	NIL
6	Repair facilities for visiting a/c	NIL
7	Remarks	NIL

5. PASSENGERS FACILITIES

1	Hotels	YES
2	Restaurants	YES
3	Transportation	Taxi (O/R) - BUS
4	Medical facilities	NIL
5	Bank and Post office	NIL
6	Tourist Office	NIL
7	Remarks	NIL

6. RESCUE AND FIGHTING SERVICE

1	Aerodrome category for fire fighting	NIL
2	Rescue equipment	
3	Capability for removal of disabled a	NIL
4	Remarks	NIL

7. SEASONAL AVAILABILITY - CLEARING

NIL

8. APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	NIL	
2	TWY width, surface and strength	Taxiway "A" Width: 20M Surface: NIL Strength: 7000 Kg SIWL	Taxiway "B" Width: 38M Surface: NIL Strength: 7000 Kg SIWL
3	ACL location and elevation	NIL	
4	VOR/INS checkpoints	NIL	
5	Remarks	NIL	

9. SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MAKING

NIL

10. AERODROME OBSTACLES

In approach/take off area			In circling area and at aerodrome		Remarks
1			2		
RWY/Area affected	Obstacle type Elevation Marking/Lights	Coordinates	Obstacle type Elevation Marking/Lights	Coordinates	
a	b	c	a	b	

11. METEOROLOGICAL INFORMATION

NIL

12. RUNWAY PHYSICAL CHARACTERISTICS

1	Designation RWY number	<b>09</b>	<b>27</b>
2	Magnetic bearing	089°	269°
3	Dimension of RWY (M)	1.975x30	1975x30
4	Strength and surface of RWY	Strength: 7000 Kg SIWL Surface: Asphalt	Strength: 7000 Kg SIWL Surface: Asphalt
5	THR Coordinates		
6	THR elevation, highest elevation of TDZ of precision approach runway		
7	Slope of RWY-SWY	NIL	NIL
8	SWY dimension (M)	NIL	NIL
9	CWY dimension (M)	NIL	NIL
10	Strip dimension (M)		
11	RESA dimension (M)	NIL	NIL
12	Obstacle free zone (OFZ)	NIL	NIL
13	Remarks		

13. DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)
1	2	3	4	5
09	1450	1450	1450	1450
27	1450	1450	1450	1450

14. APPROACH AND RUNWAY LIGHTING

NIL

15. OTHER LIGHTING, SECONDARY POWER SUPPLY

NIL

16. HELICOPTER LANDING AREA

NIL

17. ATS AIR SPACE

Designation and lateral limits	Vertical limits	Airspace classification	ATS unit call sign Language	Transition altitude	Remarks
1	2	3	4	5	6
NIL	-	G	-	-	ROMA FIR

18. ATS COMMUNICATION FACILITIES

Service	Call sign	Frequency MHZ	Operational hours	Remarks
1	2	3	4	5
Emergency	-	121,50	-	-
Airfield	AVIOSUPERFICE SCALEA	128,45	MON-FRI 0800-1530 SAT-SUN 0800-1800	Other hours on request to Scalea Operations (fax +39.02.39195451) with 24 hour prior notice.

19. RADIO NAVIGATION AND LANDING AIDS

NIL

20. LOCAL TRAFFIC SERVICE

1 RUNWAY PREFERENTIAL USE

NIL

2 APRON MANAGEMENT SERVICE

NIL

3 SPECIAL RULES FOR TAXIWAY USE

NIL

4 AIRCRAFT SPECIAL PROCEDURE IN LOW VISIBILITY CONDITIONS

NIL

5 SPECIAL OPERATIONAL PRACTICE FOR MINIMUM RWY OCCUPANCY

NIL

6 LOCAL FLIGHT RESTRICTION

- Traffic circuit:

RWY 09 left side or direct from the sea

RWY 27 left side

- Traffic circuit for gliders:

RWY 09 left side (not direct from the sea)

RWY 27 left side

- Traffic circuit for ultralight:

RWY 09 left side (not direct from the sea)

RWY 27 left side

- Due to heavy parachute jumpings, gliders, ultralight, and acrobatic activity, it is dangerous to overfly the AD below 4500 FT AGL

7 PROVISION FOR GENERAL AVIATION AIRCRAFT

NIL